

## **FEATURES:**

IR LED: 14μ x 18PCS

IR range: 20M

Image Sensor: 1/2.7" CMOS Sensor

Lens: 2.8mm Lens (3.6mm or 6mm Optional)

Housing: Plastic IP66

Size: 160.8(W) x 62(H) x 62(D)mm

Weight: 380g

C€ F© RoHS







## **≻** Datasheet

Datasileet	
Camera	
Image Sensor	1/2.7" CMOS Sensor (XM330)
Image Resolution	2MP
Effective Pixels	1920(H)*1080(V)
TV System	PAL/NTSC
Electronic Shutter Time	Auto: PAL 1/25-1/50000Sec; NTSC 1/30-1/60000Sec
S/N Ratio	≥50dB
Scanning System	Progressive Scan
Lens	
Focus Length	Board Lens 2.8mm (3.6mm or 6mm Optional)
Focus Control	Fixed
Lens Type	Fixed
Pixels	3MP
Auto Iris Support	No
Night Vision	
Infrared LED	14μ x 18PCS
Infrared Distance	20M
IR Status	Under 10 Lux by CDS
IR Power On	CDS Auto Control
Camera Features	
Starlight	No
Day/Night	Yes
OSD Menu Language	Yes
White Balance	Auto/Manual



Support 3D NR
Yes
Support WDR
No
Yes
Yes
Plastic IP66
Yes
No
Yes
No
No
-10°C ~ +50°C RH95% Max
-20°C ~ +60°C RH95% Max
DC12V±10%, 550mA
160.8(W) x 62(H) x 62(D)mm
380g





## **Dimensions**







