

## GDSU20HTC200F

2MP Dome HD Camera (Fixed Lens)



### **FEATURES:**

IR LED: 14 $\mu$  x 18PCS

IR range: 20M

Image Sensor: 1/2.9" CMOS Sensor

Lens: 2.8mm Lens (3.6mm or 6mm Optional)

Housing: Plastic IP67

Size:  $\Phi$  93 x 74(H)mm

Weight: 400g

CE FC RoHS



## ➤ Datasheet

Camera	
Image Sensor	1/2.9" CMOS Sensor (F23)
Image Resolution	2MP
Effective Pixels	1920(H)*1080(V)
TV System	PAL/NTSC
Electronic Shutter Time	Auto: PAL 1/25-1/50000Sec; NTSC 1/30-1/60000Sec
S/N Ratio	≥50dB
Scanning System	Progressive Scan
Lens	
Focus Length	Board Lens 2.8mm (3.6mm or 6mm Optional)
Focus Control	Fixed
Lens Type	Fixed
Pixels	3MP
Auto Iris Support	No
Night Vision	
Infrared LED	14μ x 18PCS
Infrared Distance	20M
IR Status	Under 10 Lux by CDS
IR Power On	CDS Auto Control
Camera Features	
Starlight	No
Day/Night	Yes
OSD Menu Language	Yes
White Balance	Auto/Manual
Gain Control	Auto

Noise Reduction	Support 3D NR
Picture Adjustment	Yes
WDR	Support DWDR
OSD	Support OSD
UTC	Yes
Dip Switch	No
<b>General</b>	
Housing	Metal IP67
Bracket	No
Dual Voltage	No
IR Cut Filter	Yes
Heater	No
Audio	No
Operation Temperature	-10°C ~ +60°C RH95% Max
Storage Temperature	-20°C ~ +60°C RH95% Max
Power Source	DC12V±10%, 550mA
Dimension	Φ 93 x 74(H)mm
Weight	400g

## ➤ Dimensions

